Explosion and Fire at Himeji Plant (#3)

NIPPON SHOKUBAI CO., LTD [Tokyo Stock Exchange - TOKSE:4114.T] ("NIPPON SHOKUBAI") is deeply saddened by the loss of life resulting from the explosion and fire at the Himeji Plant on September 29 and extends its sincere condolences to family members. In addition, NIPPON SHOKUBAI extends its sincere apologies to the individuals who were injured by this accident and to the enormous problems this incident caused for people living near the plant and to other people associated with this incident.

Currently available information as of 22:00 September 30 is as follows;

Address and facilities involved in the accident
 Acrylic acid-tank, NIPPON SHOKUBAI Himeji Plant
 992-1 Aza-Nishioki, Okihama, Aboshi-ku, Himeji, Hyogo 671-1282, JAPAN

2. Time and date of the accident

14:40 September 29, 2012

3. Time line

September 29

13:00 Confirmed white mist of acrylic acid-mist

14:40 Explosion and fire at acrylic acid-tank

22:52 Fire under control, informed from the local fire and disaster management authority

September 30

15:30 Fire extinguished

4. Impact of the accident

*Casualties/Injured

The dead: 1 person (firefighter of the Aboshi fire station)

The injured: under investigation

*Damage to facilities under investigation

5. Impact to the outside of Himeji Plant

At this moment there is no report of leakage of hazardous materials.

6. Status of operations

Operations at all facilities in Himeji Plant are suspended at this moment.

7. Impact on product supply

Unknown at this moment

8. Causes/Preventive measures

Causes of the accident are under investigation by authorities. NIPPON SHOKUBAI formed task forces and does its best to investigate causes of the accident.

NIPPON SHOKUBAI will apply appropriate preventive measures as soon as the causes of the accident will be clarified.

Contact

Investor & Public Relations Dept., NIPPON SHOKUBAI CO., LTD.

TEL: +81-3-3506-7477

E-mail: shokubai@n.shokubai.co.jp